

32CH EMBEDDED NETWORK VIDEO RECORDER



ENR-02032-N-FK

FEATURES

32 Channel Input

Support Enhanced (H.265, H.264), H.265, H.264 Video Formats

HDMI and VGA Interfaces

2 SATA HDDs

ONVIF Profile (S, G, T, M)



SPECIFICATION

MODEL	Model No.	ENR-02032-N-FK
	Type	32CH EMBEDDED NETWORK VIDEO RECORDER
VIDEO & AUDIO	Video Input	32-Ch
	Incoming Bandwidth	160 Mbps
	Outgoing Bandwidth	80 Mbps
	HDMI / VGA Output	HDMI 1: 3840×2160, 1920×1080, 1280×1024, 1024×768 VGA: 1920×1080, 1280×1024, 1024×768
	Audio I/O	1-ch Input/ 1-ch Output
	Two-way Audio	Supported
	Multi-screen Display	1/4/9/16/32
	Video Encryption	Supported
DECODING	OSD	Channel Name, Date
	Video Compression	Enhanced (H.265, H.264), H.265, H.264
	Audio Compression	G.711A, G.711U
	Bit Rate Type	CBR,VBR
	Recording Resolution	12MP/8MP/6MP/5MP/4MP/3MP/1080P/720P/D1
	Recording Mode	Continuous, Manual, Event(Pre/Post, Motion etc.), Schedule
	Trigger Events	Motion Detection, Video Loss, Alarm in, IVS
	Simultaneous Live Decoding Capability	1x12MP, 4x8MP, 9x1080P, 32xD1, 16x1080P
MONITORING	Synchronous Playback	16/9/4/1
	Live View Functions	Snapshot, Record, Digital Zoom, Record, PTZ toolbar, Volume adjustment, Image Setting
	Playback functions	Sync playback, Play, Pause, Stop, Fast play, Slow play, Full Screen, Backup selection, Snapshot, Search by date, Picture grid
	Search Mode	Time/Date, Alarm, Picture grid, Event
	Backup Mode	USB, Network
	Export Video Format	MP4

★Product specification and availability are subject to change without notice.


32CH EMBEDDED NETWORK VIDEO RECORDER



ENR-02032-N-FK

MODEL	Model No.	ENR-02032-N-FK
	Type	32CH EMBEDDED NETWORK VIDEO RECORDER
INTERFACE	Protocols	TCP/IP, UDP, IPv4, IPv6, HTTP, HTTPS, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, NFS, FTP, UPnP, SMTP, SNMP, P2P, IP Filter, 802.1X, 3G/4G
	Compatibility	ONVIF Profile (S, G, T, M), SDK/CGI
	Network	2xRJ45 (10/100/1000 Mbps) Self Adaptive Ethernet Port
	HDMI Interface	1xHDMI
	VGA Interface	1xVGA
	USB Interface	2xUSB 2.0
	Alarm I/O	8/1
SMART	Alarm Management	Input & Output event, Alarm I/O error, IP Conflict, Hard disk full, No hard disk, Hard disk RW error, HDD SMART check error, Abnormal recording, Motion detection, Tampering (Masking), Smart detection, Video loss
	Behavior Detection	Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire)
	Analytics	Loitering, Multi Loitering, Abandoned object (Object Left), Missing object (Object Lost), People Counting, Wrong Way Detection, Abnormal Speed, Illegal Parking *Compatible with analytic supported cameras
	Face Comparison	Real-Time Captured and Displayed Face Comparison Findings (Registrant (Name and ID), Stranger, Channel, Similarity) *Compatible with -68, -69, -70, -71 Series
STORAGE	SATA	2 SATA interfaces
	Capacity	Up to 12 TB for each HDD
	Array Type	N/A
	ANR	Supported
GENERAL	Operating System	Embedded Linux
	Remote Users	8
	Client Application	Eye Guard
	Power Supply	12V DC / 3A
	Redundant Power	N/A
	Max. Power Consumption	≤15 W (without HDD)
	Working Environment	-10 °C ~ 55 °C
	Humidity	≤90% RH
	Chassis	1U
	Dimension	372x310.5x46.5 mm
Net Weight	1.8 kg	

Dimension Unit : mm



ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENR-02032-N-FK	32Ch Embedded Network Video Recorder with 2 HDD Bays Supports 4K Cameras, HDMI, VGA and ONVIF	1

PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENR-02032-N-FK	Carton Box	-	-

★Product specification and availability are subject to change without notice.