


16CH EMBEDDED NETWORK VIDEO RECORDER



ENR-02016-N-LK

FEATURES

- 16 Channel Input
- Support Enhanced (H.265, H.264), H.265, H.264 Video Formats
- 2 SATA HDDs
- HDMI and VGA Simultaneous Output
- ONVIF Profile (S, G, T)



SPECIFICATION

MODEL	Model No.	ENR-02016-N-LK
	Type	16CH EMBEDDED NETWORK VIDEO RECORDER
VIDEO & AUDIO	Video Input	16-Ch (Upgradable to 20 Channels)
	Incoming Bandwidth	160 Mbps
	Outgoing Bandwidth	64 Mbps
	HDMI / VGA Output	HDMI : 3840×2160, 2560×1440, 1920×1080, 1440×900, 1280×800, 1280×720, 1024×768 VGA : 1920×1080, 1440×900, 1280×800, 1280×720, 1024×768
	Audio I/O	1-Ch Input (3.5 mm) / 1-Ch Output (RCA)
	Two-way Audio	Supported
	Screen Split	1/2/3/4/5/6/7/8/9/10/12/13/16/20A/20B/20C/20D/25
	Video Encryption	Supported
	OSD Type	Title, Week, Date, Time, Text with different colors and adaptable sizes
DECODING	Video Compression	Enhanced (H.265, H.264), H.265, H.264
	Video Bit Rate	32 kbps ~ 16 Mbps (per channel)
	Bit Rate Type	CBR, VBR
	Audio Compression	G.711A, G.711U, AAC, ADPCM_DIV4
	Audio Bit Rate	8 kbps ~ 48 kbps
	Recording Resolution	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
	Recording Mode	Continuous, Manual, Event (Pre/Post, Motion etc.), Schedule, ANR, Record Interval by Time / Size
	Pre/Post Record Time	Pre (5~60 sec); Post (10~60 sec)
Fisheye Camera	N/A	
De-warping	N/A	

★Product specification and availability are subject to change without notice.

16CH EMBEDDED NETWORK VIDEO RECORDER



ENR-02016-N-LK


MODEL	Model No.	ENR-02016-N-LK
	Type	16CH EMBEDDED NETWORK VIDEO RECORDER
MONITORING	Preview Capability	2x8MP/2x6MP/3x5MP/4x4MP/5x3MP/8x1080P/16x720P
	Synchronous Playback	2x8MP/2x6MP/3x5MP/4x4MP/5x3MP/8x1080P/16x720P
	Live View Functions	Screen matrix, Stream type, System alarm, Snapshot, Record, Talkback, Volume adjustment, Full screen, Digital zoom
	Playback Functions	Sync Playback, Play, Pause, Stop, Fast Play, Slow Play, Backwards, Forwards, Full Screen, Backup Selection, Clip Management, Screen Matrix, Stream Type
	Corridor Mode	Supported
	Backup Mode	USB, Network, SATA burner
	Export Picture Format	JPG
	Export Video Format	MP4, SDV, AVI
	Download from Edge storage	MP4, SDV, AVI
INTERFACE	Protocols	TCP/IP, UDP, IPv4, IPv6, ICMP, HTTP, HTTPS, DHCP, DNS, DDNS, RTP, RTSP, RTCP, FTP, NFS, PPPoE, NTP, UPnP, SMTP, IGMP, 802.1x, Multicast, ARP, SNMP, SSL, P2P
	Security	AES 128 Video Encryption, IP Filtering, User Authentication, 802.1X Authentication, User Access Log
	Compatibility	ONVIF Profile (S, G, T), CGI/SDK
	Network	1xRJ45 (10/100/1000 Mbps) Self Adaptive Ethernet Port
	HDMI	1xHDMI
	VGA	1xVGA
	Serial Interface	N/A
	USB Interface	2xUSB 2.0
	Alarm I/O	4/1
SMART	Behavior Detection	Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire)
	Analytics	Loitering, Running, Abandoned object (Object Left), Missing object (Object Lost), Parking, Face Detection (Capture), People Counting, Crowd Detection, On Duty Detection, Abnormal Video & Audio Detection, Auto Tracking, Heatmap, Human and Vehicle Classification **Compatible with analytic supported cameras
	Alarm Management	Input & Output event, Alarm I/O error, Illegal access, IP Conflict, MAC Conflict, Network Interrupt, Hard disk full, No hard disk, Hard disk R/W error, Hard disk overload, HDD SMART check error, Abnormal recording, Abnormal temperature, Motion detection, Tampering (Masking), Smart detection, Video loss
STORAGE	SATA	2 SATA Interfaces
	Capacity	Up to 10 TB for each HDD
	Array Type	N/A
	e-SATA	N/A
	ANR	Supported
GENERAL	Main Processor	Dual Core Embedded Processor
	Operating System	Embedded Linux
	User Permission	32 with multiple privilege level
	Client Application	EyeConnect
	Web Language	14
	Power	12V DC, 3.33A
	Redundant Power	N/A
	Power Consumption (without HDD)	≤10 W
	Working Environment	-10 °C ~ 55 °C
	Humidity	10% ~ 90% RH
	Chassis	1U
Dimension	341×273×47 mm	
Net Weight	1.6 kg	

16CH EMBEDDED NETWORK VIDEO RECORDER



ENR-02016-N-LK

Dimension Unit : mm



ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENR-02016-N-LK	16Ch Embedded Network Video Recorder with 2 HDD Bays, Supports 4K Cameras, HDMI, VGA and ONVIF	1

PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENR-02016-N-LK	Carton Box	3	415x140x375