

HYBRID HIGH-DENSITY MODULAR FIXED PANEL

Norden Hybrid High-Density Modular Fixed Panel accepts up to 4 HD Modules or HD Pass Through adapter plates for a total of 96FO with LC configuration. Modular panel for multi-application with MTP/MPO System, Pre-terminated cables, or conventional splicing. Easy front access with cable management bar which provides protection of the patch cords.



FEATURES

- 4 Slots HD in 1U
- Support Up to 96FO in LC
- Support Modular with MTP/MPO Module or Adapter Plate
- Adapts with multiple Modules & Adaptor Plates

APPLICATIONS

- Datacenter, Enterprise network & Indoor applications
- Accepts Indoor and Outdoor Pre-terminated cables
- MTP/MPO trunks and Splicing

DESIGN & MATERIALS

Mounting Type	Rack mount (1U)
Panel Colour	Black
Panel Housing Material	SPCC
IP Rating	IP 20
Access Type	Front & Rear
Cable Entry	Rear
Slot Types	Modules & Adaptor Plates
Number of Slots	4
Operating Temperature	-20°C ~ +70°C


ORDERING INFORMATION

Panel

Part Number	Description
NC02-6MRX	Hybrid High-Density Modular Fixed Panel Unloaded -1U -96F
NC02-BK3T000X	Hybrid High-Density Modular Fixed Panel Blank Plate

HYBRID HIGH-DENSITY MODULAR FIXED PANEL

Modules & Adaptor Plates



** This Cassette Support LC Quad, SC Duplex & MTP/MPO Duplex Adaptors **
 ** Only Ultra Low Loss (ULL) connector type is available for MTP Cassette **
 ** For Single Mode MTP connectors, only the APC polish type should be chosen. **

HYBRID HIGH-DENSITY MODULAR FIXED PANEL

For Example:

*** Modular MTP/MPO Loaded Cassette**

NC02 | 1 | D | 0 | F | 2 | 1 | B | OM4 | P | P | X

Description : 2 X MTP12/PC Ultra Low Loss, Female, 06 X LC/PC Quad , 24F,MM OM4, Polarity B, Loaded Module

*** MTP/MPO Loaded Adaptor Plate**

NC02 | 2 | 0 | D | 1 | 0 | 0 | 0 | 000 | 0 | 0 | X

Description : 12 Port MTP Simplex Key Up - Key Down, Loaded Adaptor Plate

*** CAT6/CAT6A Unloaded Adaptor Plate**

NC02 | 2 | 0 | A | 0 | 0 | 0 | 0 | 000 | 0 | 0 | X

Description : 6 Port Unshielded/Sheilded Cat6/CatA Unloaded Adaptor Plate

*** LC Loaded Splice Module :**

NC02 | 1 | C | 0 | Q | 0 | 1 | 0 | OS2 | 0 | U | X

Description : SM OS2 LC Splice Module Loaded with 6 X LC/UPC Quad Adaptor and Pigtailes

*** LC Loaded Splice Module :**

NC02 | 1 | C | 0 | Q | 0 | 2 | 0 | OS2 | 0 | U | X

Description : SM OS2 LC Splice Module Loaded with 6 X LC/UPC Quad Adaptor with Internal Shutter and Pigtailes