

# NEXT RACK




NORDEN Floor Standing Next Rack designed for Communication rooms and data centers. The smart design and professional engineering provides easy installation and Maintenance. Comply with ANSI/EIA RS-310-D, IEC 297-2, DIN 41491, PART 1, DIN 41497, PART 7, ETSI Standards

## FEATURES

- Intelligent design ensures easy installation
- Cable entry through bottom and top panel
- Removable side panel provides easy maintenance
- Divided side doors & rear doors provides easy maintenance
- Toughened glass door
- 19" installation
- Adjustable feet and heavy duty castors
- Plinth and rack fans are optional

Cabinet Material	SPCC cold rolled steel
Deg. of Protection	IP20
Surface finish	Degreasing, phosphoric, powder coated
Max. Loading capacity	1500 KGS
Back door thickness	1.2mm
End plates and side panels thickness	1.2mm
Max. Capacity on each caster	120KG
Door perforation in percentage	<b>70%</b>
Max. rotation degree hinges	120°
Angle at which door opens when placed alone	120°
Angle at which door opens (connected together)	60°
Earthing	2.5m <sup>2</sup>

## STRUCTURE



1. HD Ventilated Front door
2. Divided Side door
3. Top Cover
4. Mounting frame
5. Rail right
6. HD Ventilated rear door
7. Cable Manager
8. Beam
9. Perforated Rear Door
10. Divided rear door

## NEXT RACK



Front View



Back View



Side View




Top View

## DOOR OPTION



Front Perforated



Back Perforated Divided

## ACCESSORIES

Accessories	Material Of Construction	Surface Coating & Colour	Quantity
Top cover	1.2mm SPCC cold rolled steel	Powder coating	1 piece
Spring Lock with 2 keys	-	Black	1 piece
Mounting Angle, 4 Pcs for lower 32U	1.5mm SPCC cold rolled steel	Powder coating	6 piece
Perforated front door	1.5mm Front Perforated door/SPCC cold rolled steel	Powder coating	1 piece
2" heavy duty castors	-	-	4 piece
Mounting Profile	2.0mm SPCC cold rolled steel	Powder coating	4 piece
Small round Lock with 2 keys		Nickel coating	1 piece
Frame	<b>2.0mm SPCC Cold Rolled Steel</b>	Powder coating	2 piece
M6 Square nut, 40 sets for upper 32U	steel	Zinc colour	20 piece
M6 B head screw, 40 sets for upper 32U	steel	Zinc colour	20 piece
Side Panel divided ,4pcs	1.2mm SPCC cold rolled steel	Powder coating	2 piece
Perforated double rear door, <b>hexagonal ventor</b>	1.2mm SPCC cold rolled steel	Powder coating	1 piece
Bottom panel	1.2mm SPCC cold rolled steel	Powder coating	1 piece
Allen wrench	steel	Black Colour	1 piece
M12 adjustable feet	-	-	4 piece

# NEXT RACK

## ORDERING INFORMATION

Part Number	Description	Capacity (U)	Dimension (WxDxH mm)
<b>600 x 800 Size</b>			
1320-256834X	25U 600 x 800 Front Perf / Back Perf Divided Door	25	600 x 800 x 1300.1
1320-276834X	27U 600 x 800 Front Perf / Back Perf Divided Door	27	600 x 800 x 1389.1
1320-426834X	42U 600 x 800 Front Perf / Back Perf Divided Door	42	600 x 800 x 2056.6
1320-486834X	48U 600 x 800 Front Perf / Back Perf Divided Door	48	600 x 800 x 2323.6
<b>600 x 1000 Size</b>			
1320-256134X	25U 600 x 1000 Front Perf / Back Perf Divided Door	25	600 x 1000 x 1300.1
1320-426134X	42U 600 x 1000 Front Perf / Back Perf Divided Door	42	600 x 1000 x 2056.6
1320-486134X	48U 600 x 1000 Front Perf / Back Perf Divided Door	48	600 x 1000 x 2323.6
<b>600 x 1200 Size</b>			
1320-426B3QX	42U 600 x 1200 Front Perforated and Back divided Perforated without side panels, Floor standing cabinet, including 2 brush panels on the roof.	42	600 x 1200 x 2277
1320-526B34X	52U 600 x 1200 Front Perf / Back Perf Divided Door	52	600 x 1200 x 2500
<b>600 x 1400 Size</b>			
1320-526X34X	52U 600 x 1400 Front Perf / Back Perf Divided Door	52	600 x 1400 x 2500
<b>800 x 600 Size</b>			
1320-528634X	48U 800 x 600 Front Perf / Back Perf Divided Door	48	800 x 600 x 2323.6
<b>800 x 800 Size</b>			
1320-258834X	25U 800 x 800 Front Perf / Back Perf Divided Door	25	800 x 800 x 1300.1
1320-428834X	42U 800 x 800 Front Perf / Back Perf Divided Door	42	800 x 800 x 2056.6
1320-488834X	48U 800 x 800 Front Perf / Back Perf Divided Door	48	800 x 800 x 2323.6
1320-278834X	27U 800 x 800 Front Perf / Back Perf Divided Door	27	800 x 800 x 1390
<b>800 x 1000 Size</b>			
1320-258134X	25U 800 x 1000 Front Perf / Back Perf Divided Door	25	800 x 1000 x 1300.1
1320-428134X	42U 800 x 1000 Front Perf / Back Perf Divided Door	42	800 x 1000 x 2056.6
1320-488134X	48U 800 x 1000 Front Perf / Back Perf Divided Door	48	800 x 1000 x 2323.6
1320-428144X	42U 800 x 1000 Front & Back Perf Divided Door	42	800 x 1000 x 2056.6
1320-488144X	48U 800 x 1000 Front & Back Perf Divided Door	48	800 x 1000 x 2323.6
<b>800 x 1200 Size</b>			
1320-258B34X	25U 800 x 1200 Front Perf / Back Perf Divided Door	25	800 x 1200 x 1300.1
1320-428B34X	42U 800 x 1200 Front Perf / Back Perf Divided Door	42	800 x 1200 x 2056.6
1320-428B3QX	42U 800 x 1200 Front Perforated and Back divided Perforated without side panels, floor standing cabinet, including 2 brush panels on the roof and 4 vertical cable managers	42	800 x 1200 x 2055
1320-428B33X	42U 800 x 1200 Front Perforated / Back Perforated Door	42	800 x 1200 x 2056.6
1320-458B44X	45U 800 x 1200 Front Perf & Back Perf Divided Door	45	800 x 1200 x 2190.1
1320-488B34X	48U 800 x 1200 Front Perf / Back Perf Divided Door	48	800 x 1200 x 2323.6

X = Color Bk = Black , Gr = Gray , R9 = RAL5015