

SINGLE SECTION WALL MOUNT CABINET IP 66



The Easycab range of wall mount cabinet IP66 designed for external telecommunication purpose. The smart\ design and professional engineering provides easy installation and maintenance. It is comply with GB/T 19183 and IEC 61969 standards.

FEATURES

- The cabinet adopt the single wall type design. It is composed with main body, roof, the rear panel, the side panel and the base.
- Front solid metal door with black water-proof rubber
- There is a polyurethane joint strip near the protect slot, which is dust proof and waterproof
- The cabinet can adopt 19 inch structure to Install cabling equipments, It can be installed on the wall and pole
- Front door with bolt lock
- Bottom wire path with flanges

Material	SPCC cold rolled steel
Degree of protection	IP66
Surface finish	Degrease, acid pickling, rust prevention and parkerizing, pure water cleaning, static electricity powder coating
Loading capacity	30 - 60 KGS.
Material thickness	Mounting profile: 2.0mm, Other: 1.5-2.0mm




SINGLE SECTION WALL MOUNT CABINET IP 66

ACCESSORIES

Accessories	Material Of Construction	Surface Coating & Colour	Quantity
Frame	2.0mm SPCC steel	Powder coating	2
Front Door	1.5mm SPCC steel	Powder coating	1
Side Door	1.5mm SPCC steel	Powder coating	2
Back Door	1.5mm SPCC steel	Powder coating	1
Lock	\	\	1
Top Cover	1.5mm SPCC steel	Powder coating	1
Door Seal	Black Rubber	\	1
Door Knob	SPCC T=1.5	GE	1
Release fastener	SPCC T=1.5	Powder coating	6 or 12
Bottom Panel	SPCC T=1.5	Powder coating	1
Mounting Profile	SPCC T=2.0	Zincplated Option	4

DRAWING



SINGLE SECTION WALL MOUNT CABINET IP 66

ORDERING INFORMATION

Part Number	Description	Capacity (U)	Dimension (mm)
6U Size			
131L-062220GY	06U 200 x 150 Single Section W/M Cabinet IP 66	06	200 x 150 x 300
131L-060220GY	06U 250 x 150 Single Section W/M Cabinet IP 66	06	250 x 150 x 300
131L-063220GY	06U 300 x 150 Single Section W/M Cabinet IP 66	06	300 x 150 x 300
131L-063T20GY	06U 300 x 200 Single Section W/M Cabinet IP 66	06	300 x 200 x 300
131L-061220GY	06U 400 x 150 Single Section W/M Cabinet IP 66	06	400 x 150 x 300
131L-061T20GY	06U 400 x 200 Single Section W/M Cabinet IP 66	06	400 x 200 x 300
131L-066G20GY	06U 600 x 500 Single Section W/M Cabinet IP 66	06	600 x 500 x 300
131L-066620GY	06U 600 x 600 Single Section W/M Cabinet IP 66	06	600 x 600 x 300
9U Size			
131L-096620GY	09U 600 x 600 Single Section W/M Cabinet IP 66	09	600 x 600 x 501
131L-096820GY	09U 600 x 800 Single Section W/M Cabinet IP 66	09	600 x 800 x 501
12U Size			
131L-126520GY	12U 600 X 550 Single Section W/M Cabinet IP 66	12	600 x 550 x 635
131L-126620GY	12U 600 x 600 Single Section W/M Cabinet IP 66	12	600 x 600 x 635
131L-126820GY	12U 600 x 800 Single Section W/M Cabinet IP 66	12	600 x 800 x 635